

3NLED Lighting Solutions are engineered to meet most commercial and industrial lighting requirements while helping reduce energy bills and facility maintenance costs.



LED panel light

Introduce light into every corner of the room with an LED panel light. Most are possible to install onto any flat surface which means you can mount an LED panel on internal walls or ceilings to brighten up all angles in the room. At 3NLED, we have a wide array of LED light panels so you can easily find the ideal solution to your lighting needs amongst our stock.



Benefits

- 1) High Power SMD2835 LED, Luminous efficiency of more than 100 LM/W.
- 2) Special circuit design, each LED works separately, avoiding the single broken LED influence.
- 3) High efficiency constant current driver, Wide Voltage AC100-270V 50/60Hz input, worldwide application.
- 4) Light guide plate procurement of imported materials, light rate more than 80%.
- 5) 50000hrs lifespan, 10 times more than traditional Lamps.
- 6) With ETL, DLC, ROHS approvals & 5 years warranty.
- 7) Pure aluminum frame, bright silver processing, good heat dissipation, more upscale appearance.
- 8) Unique housing design, excellence in heat dissipation, and anti-impact.
- 9) Completely green& environmental protection, No UV and IR radiation.
- 10) Easy to install, a perfect replacement for traditional lamps.

Model No	SNPL-11FT	SNPL-14FT	SNPL-22FT	SNPL-24FT
Bulb Shape	LED Back-lit panel light			
Wattage	12W	30W	30W	60W
Lumens	1320LM	3180LM	3180LM	6360LM
Efficacy	110LM/W	106LM/W	106LM/W	106LM/W
Light Source	High Power SMD2835			
Input Voltage	AC100-277V			
	50~60HZ			
CRI	>80			
Power Factor	>0.95			
CCT	3000K/4000K/5000K			
Dimmable	No			
Beam Angle	120°			
Cover	Frosted			
Ambient Temp	-40°F to 122°F			
Working Environment	Indoor			
Lifespan	50,000H	50,000H	50,000H	50,000H
Warranty	5 years	5 years	5 years	5 years
Certificates	ETL, DLC, ROHS	ETL, DLC, ROHS	ETL, DLC, ROHS	ETL, DLC, ROHS
Size	L298*W298*H53mm	L1212*W298*H53mm	L600*W600*H53mm	L1212*W600*H53mm
Net Weight	955g	2.6Kg	2.8Kg	5Kg

1X1 FT



2X2 FT



1X4 FT



2X4 FT





Application

Supermarkets
Hospitals
Hotels
Offices
Restaurants
Shopping Malls
Restrooms

www.3nled.com

3NLED information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions. LED Lighting Solutions are businesses of the 3NLED Lighting Company.

Contact Us

Our team is always available to answer any questions you may have.

Whether you have a sales inquiry or you're wanting to purchase over the phone or email, our team is always there to help, so don't be shy. Give us email sales@3nled.com Or you can reach us by phone Mon through Fri 9am to 6pm PST at (408)263-8800 and 9am to 5pm EST at (404) 696-3999.

www.facebook.com/3nledlighting

www.twitter.com/3nledlighting

www.pinterest.com/3nledlighting

www.linkedin.com/company/3nled-lighting

www.google.com/+3nledlights